Super Combi 2, Supervised

FSW252



The Super Combi 2 is a highly versatile structure. It has a perfect blend of high, low, and dynamic items. The overhead activities include the snake bar, the overhead ladder, and the rings. The climbing rope and the target shoot are fun and functional, and the Mag Bells provide dynamic strength training. The universal parallel bars stimulate exercise creativity and can be used directly by wheelchair users. The integrated step platforms can be used for strength, jumping, and cardio —an excellent setup for more extensive group workouts.
Supervised products are only for areas that are gated or fenced-off, like fitness clubs with supervision or gated communities.



Item no. FSW25200-0900				
General Product Information				
Dimensions LxWxH	750x746x325 cm			
Age group	13+			
Play capacity (users)	16			
Colour options				







FSW252







Post are made of Ø101.6 x 2mm, pregalvanized carbon steel and powder coated, a great protection to all conditions.







Item no. FSW25200-0900				
Installation Information				
Max. fall height		200 cm		
Safety surfacing area		66.4 m²		
Total installation time		15.7		
Excavation volume		1.25 m³		
Concrete volume		0.75 m³		
Footing depth (standard)		90 cm		
Shipment weight		954 kg		
Anchoring options	In-groun	d 🖌		
	Surface	~		
Warranty Information				
EcoCore HDPE	I	Lifetime		
Hot dip galvanised steel	I	Lifetime		
Movable parts		2 years		
Spare parts guaranteed	1	0 years		
Steel	1	0 years		

Sustainability Data

FSW252




Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FSW25200-0900	1,477.89	2.45	57.35

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant


Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




www.bureauveritas.dk +45 7731 1000

By Bureau Veritas HSE





FSW252





* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

4 / 10/07/2024