# **Super Combi 3**

FSW250





The Super Combi 3 is based on 360-degree activities in a square structure. It has a built-in challenge where you can move from the overhead ladder through the Turbo wheels and end in the snake bar. In addition to this, it has a low bar, incline press, target shoot, climbing ropes, rings, and jumping platforms. This package is a very engaging outdoor gym with a

compact footprint compared to many included activities. It is ideal for schools and most types of public areas.

Item no. FSW25000-09	01			
General Product Information				
Dimensions LxWxH	502x592x325 cm			
Age group	13+			
Play capacity (users)	17			
Colour options	• • •			





# **Super Combi 3**

FSW250



200 cm

67.7 m<sup>2</sup>

1.40 m<sup>3</sup>

0.84 m<sup>3</sup>

90 cm

864 kg


14.3







Post are made of Ø101.6 x 2mm, pregalvanized carbon steel and powder coated, a great protection to all conditions.




Item no. FSW25000-0901

	Gariago	
Warranty Information		
EcoCore HDPE	Lifetime	
Hot dip galvanised steel	Lifetime	
PUR components	10 years	
Spare parts guaranteed	10 years	
Steel	10 years	







EN 16630 compliant

### **Sustainability Data**

FSW250





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FSW25000-0901	1,292.04	2.33	58.68

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


# **Super Combi 3**


FSW250



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW