Arm Bike

FSW240



Item no. FSW24000-0	001	
General Product Information		
Dimensions LxWxH	82x55x115 cm	
Age group	13+	
Play capacity (users)	1	
Colour options		







The Arm Bike features a seat and adaptable space to accommodate seated, wheelchairbound, or standing users, ensuring it is inclusive for all fitness levels and abilities. The equipment's adjustable resistance, sourced from a magnetic brake on a flywheel, delivers a smooth cycling experience critical for arm workouts. Users can effortlessly select from 10

resistance levels by turning a handle, enabling a range from gentle exercises to high-intensity interval training.

Data is subject to change without prior notice.

Arm Bike

FSW240





To ensure the integrity of the machine, the orange-colored main posts are made of \emptyset 101.6 x 3mm s235 steel posts, which are hot dip galvanized and powder coated.



The Arm Bike accommodate 3 exercising positions, standing, seated in a wheelchair or seated on the seat. The handles have a diameter of ø36mm and are placed under a 30-degree angle.



The magnetic resistance system is fully covered and can be adjusted with a rotatable handle in 10 steps. The selector system is intuitive in use, you rotate the handle to select a different amount of resistance.

0-0001		
Installation Information		
	60 cm	
	11.6 m²	
	2.1	
	0.00 m³	
	0.00 m³	
	0 cm	
	110 kg	
Surface	~	
	ation	

Item ne EC/M04000 0004

Warranty Information		
Handle	10 years	
Movable parts	2 years	
Polycarbonate PC panels	10 years	
Spare parts guaranteed	10 years	
Steel frame	10 years	



The resistance unit and all mechanical parts are hidden in the fully closed cabinet which is made from UV-stabilized Polycarbonate (PC). As a result, entrapment is not possible, making it extremely safe to use and providing protection against the elements.



The machine is equipped with a weighted flywheel that ensures that the motion stays fluid and comfortable during use.



Seat is made of Ekogrip[™] panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.



Sustainability Data

Cradle to Gate A1-A3


FSW24000-0001

FSW240



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

197.28

CO2e/kg

kg CO₂e/kg

3.26

Recycled

materials

%


43.05


Arm Bike

FSW240



* Max fall height | ** Total height





FSW24000

Click to see TOP VIEW

Click to see SIDE VIEW

